Due Date 27.06.2018 at 3.00 PM

Corrigendum

Modular Tables with Granite top for Mechanical Engineering Laboratory at Transit Campus, Kanjikode.

Correction in Table Specification in Tender document.

• Page no 3, Specification Table:- Serial number 2e – work bench breadth (length of C frame/ table depth) should be 1200mm instead of 1000mm.

Additional Points

Storage units

- Must be fastened to the work bench.
- Must have one drawer and one cabinet per work desk unit. The cabinet must include one horizontal shelf.
- Width of storage units:- 450 mm (min)
- Depth of storage unit: choose depth such that the storage unit occupies the full space from front desk to back panel.
- o Height of drawer: 150mm to 200mm.
- Height of Storage cabinet: 400mm to 500mm.
- Must be made from CRCA sheet metal conforming to IS code 513:1994-atleast 1mm thickness.

Electrical and network

- Work desk cable management system
 - Must be made from CRCA sheet metal conforming to IS code 513:1994- 1mm or more thickness.
 - The front surface that houses the electrical points should have a slope.
 - Must have cut outs to house 6x5/15 plug points (each with dedicated switches and one LAN port per work desk.
 - Approved make for switches, plug points and LAN ports are: Legrand, Northwest,
 MK.
- o Maximum Power Consumption per work bench- at least 750W.
- The colour of Phase wire used must correspond to phase marked in the wiring diagram. Green to be used for Earthing.
- o Rating of all wires for connection to workbench- at least 4sq mm, FRLSH.
- o Approved make of electrical wires-Finolex, V-guard, Polycab, L&T.
- CAT6 ethernet cable will be provided by IIT Palakkad. Connections to the workbenches is under the scope of bidder.

• Plumbing Lines for Sink.

- o ¾ inch dia. uPVC pipe for all plumbing works with preferable make- Watertec, Supreme,
- o Steel high mount water taps of preferable make- Cera, Hindware, Watertec.
- Steel Sink of standard dimension under 500x500x300mm, preferable make-Cera, Hindware, Godgrej, Parryware.